	No.	The same of the sa		₹			11(1)()()()	चर्ट -				
. X-1		1998/20		ENGINEERING DATA TRANSMITTAL				Page 1 of <u>/</u> 1. EDT				
2. To	2. To: (Receiving Organization) DISTRIBUTION			ENVIRDA	om: (Originating Organization) UIRDN MENTAL RESTORATION USINEERING			4. Related EDT No:				
5 Pr	1						ngr: F.W. Gustafson 7. Purchase Order No: NA 9. Equip/Component No:					
8. O	8. Originator Remarks:						ISTAFSON	9. Equip/Component No:				
	A	PPROVAL/Rele	PASE					10. Syst	em/Bldg/F	acility:		
								ļ	JA or Assm D	wg No:	······································	
11. F	Receiver	Remarks:						^	JA			
								13. Per	mit/Permi NA	t Applica	tion No.	
									uired Resp		te:	
15.		· · · · · · · · · · · · · · · · · · ·	DA	TA TRAN	SMITTED			(F)	(G)	(H)	(1)	
*(A) Item No.		Occument/Drawing No.	(C) Sheet No.	(D) Rev No.	(E) Title	or Description of	Data Transmitted	Impact Level	Reason for Trans- mittal	Origi- nator Dispo- sition	Receiv- er Dispo- sition	
	WHO	-SD-EN-AP-099		Ø	NORTH SI	OPE EXPE	DITED RESPONSE	39	1,2-			
					ACTION F	ZIEID Sam	Ping PlAN					
	 					···						
		· · · · · · · · · · · · · · · · · · ·										
-												
16.	.1			<u> </u>	KE	·V						
10.	lmo	act Level (F)	 	Reason fo	or Transmittal (G		Die	accition (·	
1, 2, 3, or 4 see MRP 5.43 and EP-1.7 1. Approval 4. Review 2. Release 5. Post-Review 3. Information 6. Dist (Receipt Ackno					<u> </u>	Approved Approved w/comme	4. Reviewed no/comment 5. Reviewed w/comment comment 6. Receipt acknowledged					
(G)	(H)	17.				ISTRIBUTION required signato				(G)	(H)	
Rea- son	Disp	(J) Name (K	(K) Signature (L) Date (M) MSIN (J) Name (K) Signature			.) Date	(M) MSIN	Rea-	1 - 1-			
1	ļ	Cog./Proj. Eng F. W.	GUSTA	ESON 8/2	4/92- 11-14-55							
	<u></u>	Cog./Proj. Eng. Mgr. W.		son APA	MAH4-50		619	391077	12/2		<u> </u>	
/	<u> </u>	Safety	AN CO	wywi	44-16				10 10 10 10 10 10 10 10 10 10 10 10 10 1		<u> </u>	
3		CENTRAL FILE	<u> </u>	م)	18-04		/N	125°	- 5	+		
3		EDMC (2)		9 /	H4-22		हिंदू 🚨	188	à	;/		
							18		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	/	 	
18.	Syrch	-foz	19.			20. PAL		21. DOE	PEROVAL	. (if requi	red)	
	F. N. Gustafson 8/2/92 Signature of EDT Date Originator Date for Receiving Organization				W.L. Johnson 8/21/9 Z Approved Cognizant/Project Date Approved w/comments Engineer's Manager Disapproved w/comments					ents		

Date Received: 8 2 / 92 /	Received: INFORMATION RELEASE REQUEST					Referen WHC-C				
		Compl	ete for	ail Types						
Purp Speech or Presentation Check	1		Reference	Report		ID Number (include revision, volume, etc.) WHC-SD-EN-AP-099, REV. 0				
Only or suffix)	ne	Thesis or Dissertation Manual Brochure/Flier		i	List attachments.					
[] Abstract				NA						
[] Visual Aid [] Speakers Bureau			Software/E Controlled		Date R	Date Release Required				······································
[] Poster Session [] Videotape		Controlled Document Other			8/21/92					
Title NORTH SLOPE EXPEDITE SAMPLING PLAN	D RE	SPONSE	ACTI	ON FIELD		Unclassi UC-	fied Cates	gory	Impact Level	3Q
New or novel (patentable) subject matter?	[X] N	• []	Yes		ation received		n confidence	, such as pr	oprietary de	ata,
If "Yes", has disclosure been submitted by Will X No [] Yes Disclosure No(s).	C or otl	her compa	ny?	[X]	No [] Y	inventions? os (identify)				
Copyrights? [X] No [] Yes If "Yes", has written permission been granted?	•	Trademarks? [X] No [] Yes (Identify)								
[] No [] Yes (Attach Permission)										,
		Comple	te for		resentation					
Title of Conference or Meeting NA				Group NA	or Society	Sponsoring	g			
······································	City/Si	tate			Will proceeding	as be publish	ed? [l Yes	۲٦	No
NA I	NA				Will material t		7:	Yes	įj	No
Title of Journal NA							·			
		C	HECKLIS	T FOR SIGNA	TORIES					
Review Required per WHC-CM-3-4	<u>Yes</u>	No	Rev		nature Indi	cates Appr				
Classification/Unclassified Controlled Nuclear Information	:) 'M	逐	ı <i>b</i> /	Name (pr		DIA	Signatur	<u>.e</u>	8/2/	<u>ate</u> 192_
Patent - General Counsel	ΓXΊ	[]		D. Will	•	BOL	1 Tillin	M	812	1142
Legal - General Counsel	ΪXΊ	[]			amson	Bou	10000	101 1 an)	8/21	192
Applied Technology/Export Controlled Information or International Program	[]	[X]		0,70.11.	<u></u>	-0.2				<i>J</i>
WHC Program/Project	[]	[X]	l				•			
Communications	ij	[X]								
RL Program/Project	[]	[X]								
Publication Services	[X]	[]	M.	5. 160h	alsui	M.s.	Fowals	lu'	8/2	1/92
Other Program/Project	[]	[X]	l <u></u>							
Information conforms to all applical					ormation is					
References Available to Intended Audience	<u>Yes</u> [X]		<u>**•</u> []	Stamp is requ	FORMATION RE					
Transmit to DOE-HQ/Office of Scientific and Technical Information		·		mandatory co	mments.		Ou To			
Author/Requestor (Printed/Signature	[]	[Date	X] •/ /		Á	3.00 F	10/4 PK			
F.W. Gustafson Mante	Tru	18/2	1/92			वै ः प्रि		SH B		
Intended Audience		/			•	y C	193			
[] Internal [] Sponsor [X	•	ernal				Carlo Jane	101	•		
Responsible Manager (Printed/Signate	ur e)	Date	7 L	<u> </u>						
W.L. Johnson W. Lautul	nel	8/21	1921	Date Cance	lled		Date Dis	sapproved		

					
SUPPORTING DOCUM	ENT		1. Tot	al Pages 101	
2. Title North Slope Expedited Response Action Field Sampling Plan	1	3. Number WHC-SD-EN-AP-09	99	4. Rev No.	
1 andfills military defense APPROVED FOR Nike Wahluke PUBLIC RELEASE U. Bürkland 8/8		6. Author Name: F.W. Gustafson Signature Organization/Charge Code 81225/PC131			
7. Abstract					
8. PURPOSE AND USE OF DOCUMENT - This document was prepared within the U.S. Department of Energy and its contractors be used only to perform, direct, or integrate U.S. Department of Energy contracts. This document is refor public release until reviewed. PATENT STATUS - This document copy, since it is transdance of patent clearance, is made available in confiction use in performance of work inder contracts. U.S. Department of Energy. This document is not to be put its contents otherwise disseminated or used for purposes specified above before patent approval for such release been secured, upon request, from the Patent Counsel, U.S. of Energy Field Office, Richtand, WA. DISCLAIMER - This report was prepared as an accouns sponsored by an agency of the United States Government. United States Government nor any agency thereof, nor a employees, makes any warranty, express or implied, or legal liability or responsibility for the accuracy, complany third party's use or the results of such use of any imparatus, product, or process disclosed, or represents apparatus, product, or process disclosed, or represents the would not infringe privately owned rights. Reference he specific commercial product, process, or service by trademark, manufacturer, or otherwise, does not constitute or imply its endorsement, recommendation, or the United States Government or any agency there contractors or subcontractors. The views and opinions expressed herein do not necessarily state or reflect to United States Government or any agency thereof.	nsmitted in dence solely with the ablished nor other than of work Neither the ny of their assumes any eteness, or nformation, that its use the ny of their the ny of their assumes any eteness, or nformation, that its use the name, necessarily favoring by of or its of authors	OFFICIAL R BY WH DATE AU	c 321	1992	

Note: Ren Barbara Williamson of Steneral Counsel; attached is Stademark 4. CHP. to replace standard Disclaimer. Y. Sukland 8/21/92

TRADEMARK DISCLAIMER

Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof or its contractors or subcontractors.

This report has been reproduced from the best available copy.

Printed in the United States of America

DISCLM-4.CHP (1-91)

CONTENTS

1.0	SCOPE OF WORK	1
2.0	GENERAL REQUIREMENTS	3
3.0	SAMPLING AND FIELD ACTIVITIES	4
4.0	SAMPLE ANALYSIS	5
5.0	QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS	5
6.0	SCHEDULE	5
7.0	CHANGES TO DESCRIPTION OF WORK	6
8.0	REFERENCES	6
ATTACI	HMENTS	
1	North Slope Expedited Response Action Project Change Form	7
2	Change Form	
	Action Sampling Checklist	
FIGUR	E	
1	Location Map of North Slope	2

1.0 SCOPE OF WORK

This document provides details for characterization sampling of North (Wahluke) Slope military landfills. These landfills are wastes sites included in a proposed expedited response action (ERA), which entails accelerated characterization/cleanup activities at waste sites located on Hanford's North slope. The ERA is promulgated by the Hanford Federal Facility Agreement and Consent Order (Tri-Party Agreement) (Ecology et al. 1991).

The sampling efforts are necessary in determining the presence (if contamination is present) of environmental contamination at the military landfills. This sampling plan will serve as a field guide for those performing the work. It should be used in conjunction with the *Environmental Investigations and Site Characterization Manual* (WHC 1988c), which provides specific sampling procedures.

This sampling effort is the initial phase of the North Slope ERA and entails only the sampling of military landfills. Sampling locations are to be based on the results of geophysical surveys conducted over the landfills of interest. Additional characterization efforts may be conducted at these landfills based on the results of the initial sampling effort. A task specific sampling plan will be prepared for all additional sampling efforts.

1.1 SITE DESCRIPTION

The North Slope area was used for military defense of the Hanford Site ... (Figure 1). Defense positions originally consisted of seven anti-aircraft gun emplacements that were eventually replaced with three Nike missile positions. There has been no permanent military installations in the area since approximately 1960. Due to the remote location of these facilities, garbage collection was not practicable and onsite landfills were used to dispose generated wastes.

The contents of these landfills is unknown. It is expected that domestic trash makes up the majority of the contents of these landfills. The Nike missile sites may have contributed more hazardous constituents as operation information indicates JP-3 gasoline, red fuming nitric acid, aniline, hydrazine, and trichloroethylene were used in support of missile operations. Evidence indicated limited vehicle maintenance was also performed at these sites and may have contributed wastes including oil and solvents to the contents of the landfills.

Materials evident on the surface of these landfills include military paint cans, oil cans, pop and beer bottles as well as demolition wastes from decommissioning of the military sites. Demolition wastes may include asbestos based materials such as transite and electrical transformers containing PCB.




Figure 1. Location Map of North Slope.

The environmental hazards (if any) posed by these landfills will be common as the layout (as noted in field reconnaissance and as-built drawings) and operations conducted at the sites were essentially the same. In effort to minimize environmental impact posed by performing intrusive characterization activities, landfill areas at three of the military sites have been identified as representative of all the North Slope military landfills. The results of the investigations at these landfills will be considered to be representative of the remaining sites.

2.0 GENERAL REQUIREMENTS

2.1 APPLICABLE PROCEDURES

All personnel working to this description will perform work in accordance with the following:

- WHC-EP-0383, Environmental Engineering, Technology, and Permitting Function Quality Assurance Program Plan (WHC 1990)
- WHC-CM-4-10, Radiation Protection (WHC 1988d)
- WHC-CM-4-11, ALARA Program Manual (WHC 1988a)
- WHC-CM-4-3, Industrial Safety Manual, Vol. 1 through 3, (WHC 1987)
- WHC-CM-7-5, Environmental Compliance Manual (WHC 1988b)
- Site-specific Hazardous Waste Operations Plan or job safety analysis.

The associated field activities will also conform to the requirements of an existing safety assessment for soil sampling prior to initiation of the field activities. The requirements of this assessment may potentially impact specific sampling protocol. All changes resulting from this assessment will be documented using an ERA Sampling Project Change Form (Attachment 1).

2.2 PREREQUISITES

A readiness review (RR) for the military landfill sampling efforts will be completed by the cognizant engineer before sampling is attempted. The RR will be completed per EII 1.13, <u>Environmental Engineering and Geotechnology Readiness Review</u> (WHC 1988c). The Sampling Status Checklist (Attachment 2) will be initialed by the cognizant engineer or field team leader and dated as each step of the task is completed.

2.3 DATA QUALITY OBJECTIVES

The data obtained from this sampling effort will be used to determine if hazardous substances are present in the landfills at levels that warrant remedial efforts. It is not the objective of these efforts to determine the extent of contamination, if contamination is present.

3.0 SAMPLING AND FIELD ACTIVITIES

3.1 SAMPLE LOCATIONS

Due to the length of time since the military landfills were operated, the exact boundaries of the landfills are questionable. The results of non-intrusive geophysical surveys including ground-penetrating radar, will be utilized in determining landfill boundaries and location of subsurface anomalies prior to sampling. A minimum of six samples from each landfill selected for study will be taken utilizing a hollow stem auger drill.

Samples will be obtained at the approximate level of the landfill bottom. This level will be determined based on field observations. An experienced driller will inform the field team leader whenever drill performance indicates significant changes in lithology (possibly indicating the bottom of the landfill). Additional sampling locations/interval may be selected at the discretion of the field team leader.

Each sampling location and pertinent information will be documented in the field log book. The logbook will be used and maintained per EII 1.5 <u>Field Logbooks</u> (WHC 1988c).

3.2 SAMPLE COLLECTION

Soil samples shall be collected per EII 5.2, <u>Soil and Sediment Sampling</u> (WHC 1988c). Samples will be collected utilizing a split tube sampler. A field logbook will be used to document activities associated with the sample collection. The logbook will be used and maintained per EII 1.5 <u>Field Logbooks</u> (WHC 1988c).

A total of 21 samples will be collected, including quality assurance/ quality control (QA/QC) samples. The equipment blank media shall be silica sand. The following is a summary of the estimated number of samples to be collected. (Note: the sample numbers below assume six samples will be taken from landfill).

- 18 samples from the landfills
- 1 equipment blank (per 20 samples)
- 1 duplicate sample (per 20 samples)
- 1 split sample (per 20 samples).

3.3 SAMPLE LABELING

The Hanford Environmental Information System (HEIS) is used to track the sample and laboratory data obtained during environmental investigations conducted under this description of work. Each sample will be identified and labeled with a unique HEIS sample number. HEIS numbers will be assigned in the field per the Hanford Environmental Information System (HEIS) Users Manual (WHC 1991). The sample location and corresponding HEIS numbers will be documented in the field logbook.

4.0 SAMPLE ANALYSES

Samples will be analyzed for Target Analyte List organics and Target Compound List inorganics and nitrate (NO $_3$) using SW 846 or contract laboratory procedure (CLP) protocol. Eighty percent of the samples collected will be analyzed according to SW 846 protocol. The remaining 20% will be analyzed and validated in accordance with CLP protocol.

A total activity analysis will also be performed to permit for offsite shipment of the sample (no radiological contamination is expected). Sample custody will follow the EII 5.1, Chain of Custody (WHC 1988c) procedure. Total activity analysis will be performed in accordance with standard operating procedures developed for the Hanford Site 222-S Laboratory.

5.0 QUALITY ASSURANCE/QUALITY CONTROL REQUIREMENTS

Internal QA/QC samples shall be collected as specified by DOE-RL (1991), Appendix A, and documented in the sampling logbook per EII 1.5, Field Logbooks (WHC 1988c). Quality assurance samples will include one equipment blank sample, one duplicate sample and one split sample for every 20 soil samples collected. The trip blank and field blank have been deleted per OSWER Directive 9355.0-7B Appendix C, Section C.6 (p.13). The equipment blank media shall be silica sand.

6.0 SCHEDULE

Geophysical surveys were completed over three landfill areas the week of July 27, 1992. The landfills were located east of Nike position H-83-L, east of AAA PSN 04 and east south-east of Nike position H-06-L. Sampling activities within these landfills will be performed in early September 1992.

7.0 CHANGES TO DESCRIPTION OF WORK

Major changes to this description of work, such as analyzing for additional parameters or using different analytical methods, will be submitted on the Project Change Form (Attachment 1). The change will require, as a minimum, the verbal approval of field team leader and the operable unit coordinator. The change will be filed as an Engineering Change Notice (ECN) and a copy will be inserted into the project file. Copies will be submitted to the regulatory agencies and the appropriate field personnel within 10 working days of the change.

8.0 REFERENCES

- DOE-RL, 1991, Environmental Restoration Remedial Action Quality Assurance Requirements Document, DOE/RL-90-28, U.S. Department of Energy-Richland Field Office, Richland, Washington.
- Ecology, U.S. Environmental Protection Agency, U.S. Department of Energy, 1991, Hanford Federal Facility Agreement and Consent Order, Olympia, Washington.
- EPA, 1986, Test Methods for Evaluating Solid Waste Physical/Chemical Methods, SW-846, U.S. Environmental Protection Agency, Washington, D.C.
- WHC, 1987, Industrial Safety Manual, WHC-CM-4-3, Vol. 1 through 3, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988a, ALARA Program Manual, WHC-CM-4-11, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988b, Environmental Compliance Manual, WHC-CM-7-5, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1988c, Environmental Investigations and Site Characterization Manual, WHC-CM-7-7, Westinghouse Hanford Company, Richland, Washington,
- WHC, 1988d, Radiation Protection, WHC-CM-4-10, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1990, Environmental Engineering, Technology, and Permitting Function Quality Assurance Program Plan, WHC-EP-0383, Westinghouse Hanford Company, Richland, Washington.
- WHC, 1991, Hanford Environmental Information System (HEIS) Users Manual, WHC-EP-0372, Vol. 1, Rev. 1, Westinghouse Hanford Company, Richland, Washington.

NORTH SLOPE EXPEDITED RESPONSE ACTION PROJECT CHANGE FORM

Date:	
Person Initiating Change:	
Chango.	
Change:	
Reason for Change:	'N s - gs
ADDDONAL	
APPROVAL:	
Field Team Leader:	
ERA:Environmental QA Representative:	•
chvironmental ya kepresentative:	

ATTACHMENT 2

NORTH SLOPE MILITARY LANDFILL EXPEDITED RESPONSE ACTION SAMPLING CHECKLIST

Activity Performed	Signature/Date
PREJOB SAFETY MEETING COMPLETED	
SAMPLES COLLECTED AND LABELED	
LAB SAMPLES SURVEYED BY HPT	
LAB SAMPLES PACKAGED IN SHIPPING CONTAINER	· 1
TOTAL ACTIVITY SCAN OF LAB SAMPLES COMPLETED	
CHAIN OF CUSTODY FORM COMPLETED	
SAMPLES SHIPPED TO LABORATORY	